

Subject Index (2009)

News

China makes an impressive breakthrough in avian influenza virus research ? Discovering the "heart" of avian influenza virus.

Li YG, Wu JF, Li X
2009; 3(1):1.

Reviews

From chemotherapy to signal therapy (1909-2009): A century pioneered by Paul Ehrlich.

Maruta H
2009; 3(2):37-40.

Studies on tetrahydrocannabinolic acid synthase that produces the acidic precursor of tetrahydrocannabinol, the pharmacologically active cannabinoid in marijuana.

Taura F
2009; 3(3):83-87.

Intellectual property strategies for university spinoffs in the development of new drugs.

Sekimizu N, Ogata Y
2009; 3(5):193-199.

Microarray analysis of gene expression in medicinal plant research.

Youn M, Efferth T, Hoheisel JD
2009; 3(5):200-207.

Structure analysis of short peptides by analytical ultracentrifugation: Review.

Arakawa T, Niikura T, Kita Y, Arisaka F
2009; 3(5):208-214.

Brief Reports

Establishment of a new cell line for high-throughput evaluation of chemokine CCR5 receptor antagonists.

Ji LL, Sheng YC, Chen L, Wang ZT
2009; 3(1):2-5.

Formulation and evaluation of in situ gelling thermoreversible mucoadhesive gel of fluconazole.

Gonjari ID, Hosmani AH, Karmarkar AB, Godage AS, Kadam SB, Dhabale PN
2009; 3(1):6-9.

Evaluation of the effects of freeze-dried soybean curd intake on cholesterol levels using a novel biomarker.

Hasegawa S, Kainuma M, Saito K, Imanishi N
2009; 3(4):143-145.

Ivermectin inactivates the kinase PAK1 and blocks the PAK1-dependent growth of human ovarian cancer and NF2 tumor cell lines.

Hashimoto H, Messerli SM, Sudo T, Maruta H
2009; 3(6):243-246.

Original Articles

Computational study of the proton transfer of phenyl urea.

Hu X, Xu WR, Wang RL, Cheng XC, Tang LD

2009; 3(1):10-12.

Liposomal oxytetracycline and doxycycline: studies on enhancement of encapsulation efficiency.

Budai M, Chapela P, Budai L, Wales ME, Petrikovics I, Zimmer A, Gróf P, Klebovich I, Szilasi M

2009; 3(1):13-17.

Study of the analgesic, anti-inflammatory, and gastric effects of gabapentin.

Abdel-Salam OM, Sleem AA

2009; 3(1):18-26.

Enhancement of the dissolution profile of Tenoxicam by a solid dispersion technique and its analytical evaluation using HPLC.

Darwish MK, Foad MM

2009; 3(1):27-36.

QSAR studies of histone deacetylase (HDAC) inhibitors by CoMFA, CoMSIA, and molecular docking.

Zhang L, Fang H, Zhu HW, Wang Q, Xu WF

2009; 3(2):41-48.

Comparative analysis of free radical scavenging potential of several fruit peel extracts by *in vitro* methods.

Parmar HS, Kar A

2009; 3(2):49-55.

***In vitro* radical scavenging activities of Chrysaora quinquecirrha nematocyst venom.**

Balamurugan E, Menon VP

2009; 3(2):56-61.

Beneficial effects of combined administration of sodium molybdate with atorvastatin in hyperlipidemic hamsters.

Ahmed AA

2009; 3(2):62-70.

Effects of oral curcumin on indomethacin-induced small intestinal damage in the rat.

Menzoli A, Pozzoli C, Poli E, Martelli M, Martelli L, Zullian C, Bertini S

2009; 3(2):71-76.

Gaps in the information shared on consumer healthcare products.

Hayashi M, Sengoku S, Hoshi S, Kimura H

2009; 3(2):77-82.

Antidiabetic activity of standardized extract of Picrorhiza kurroa in rat model of NIDDM.

Husain GM, Singh PN, Kumar V

2009; 3(3):88-92.

Synthesis and reaction mechanism of 3-(4-methoxyphenylazo)acrylic acid.

Liu B, Wang RL, Xu WR, Zhao GL, Tang LD, Cheng XC, Zhou H

2009; 3(3):93-96.

A validated stability-indicating HPLC method for analysis of glabridin prodrugs in hydrolysis studies.

Jirawattanapong W, Saifah E, Patarapanich C

2009; 3(3):97-103.

Correlation of *in vitro* dissolution rate and apparent solubility in buffered media using a miniaturized rotating disk equipment: Part I. Comparison with a traditional USP rotating disk apparatus.
Persson AM, Sokolowski A, Pettersson C
2009; 3(3):104-113.

Correlation of *in vitro* dissolution rate and apparent solubility in buffered media using a miniaturized rotating disk equipment: Part II. Comparing different buffer media.
Persson AM, Pettersson C, Sokolowski A
2009; 3(3):114-122.

Formulation and optimization of sustained release terbutaline sulfate microspheres using response surface methodology.
Khattab I, Bandarkar F, Lila A
2009; 3(3):123-135.

Stability studies of the effect of crosslinking on hydrochlorothiazide release.
Elmeshad AN, Darwish MK
2009; 3(3):136-142.

Effects of a hyaluronic acid and low molecular weight heparin injection on osteoarthritis in rabbits.
Ling PX, Zhang LN, Jin Y, He YL, Zhang TM
2009; 3(4):146-150.

Pterocarpus marsupium extract reveals strong *in vitro* antioxidant activity.
Mohammadi M, Khole S, Devasagayam TPA, Ghaskadbi SS
2009; 3(4):151-161.

Antiaggressive activity of hyperforin: A preclinical study.
Kumar N, Husain GM, Singh PN, Kumar V
2009; 3(4):162-167.

A novel liquid effervescent floating delivery system for sustained drug delivery.
Ibrahim HK
2009; 3(4):168-175.

Microspheres of tramadol hydrochloride compressed along with a loading dose: A modified approach for sustaining release.
Gonjari ID, Hosmani AH, Karmarkar AB, Kadam SB, Godage AS, Khade TS
2009; 3(4):176-180.

Buccal mucoadhesive tablets of flurbiprofen: Characterization and optimization.
Darwish MK, Elmeshad AN
2009; 3(4):181-189.

Beneficial effects of a standardized Hypericum perforatum extract in rats with experimentally induced hyperglycemia.
Husain GM, Singh PN, Kumar V
2009; 3(5):215-220.

Sedative and anxiolytic effects of different fractions of the Commelina benghalensis Linn.
Raquibul Hasan SM, Hossain MM, Akter R, Jamila M, Mazumder EHM, Rahman S
2009; 3(5):221-227.

Vaginal delivery of protein drugs in rats by gene-transformed Lactococcus lactis.
Kaushal G, Shao J
2009; 3(5):228-233.

Comparative development and evaluation of topical gel and cream formulations of psoralen.

Patel NA, Patel NJ, Patel RP
2009; 3(5):234-242.

Pyrrolizidine alkaloid clivorine-induced oxidative stress injury in human normal liver L-02 cells.

Liang QN, Liu TY, Ji LL, Min Y, Xia YY
2009; 3(6):247-251.

Induction of immune responses to a human immunodeficiency virus type 1 epitope by novel chimeric influenza viruses.

Takizawa N, Morita M, Adachi K, Watanabe K, Kobayashi N
2009; 3(6):252-259.

A microplate-based screening assay for neuraminidase inhibitors.

Li AF, Wang WH, Xu WF, Gong JZ
2009; 3(6):260-265.

In vitro evaluation of different transnasal formulations of sumatriptan succinate: A comparative analysis.

Gonjari ID, Karmarkar AB, Kasture PV
2009; 3(6):266-271.

Positive inotropic effect of PHR0007 (2-(4-(4-(Benzyl)benzyl)piperazin-1-)-N-(1-methyl-4,5-dihydro[1,2,4]triazolo[4,3-a]quinolin-7-yl)acetamide) on atrial dynamics in beating rabbit atria.

Lan Y, Piao HR, Cui X
2009; 3(6):272-277.

Spicatic acid: A 4-carboxygentisic acid from *Gentiana spicata* extract with potential hepatoprotective activity.

Handoussa H, Osmanova N, Ayoub N, Mahran L
2009; 3(6):278-286.

Development of implants for sustained release of 5-fluorouracil using low molecular weight biodegradable polymers.

Hanafy AFH, El-Egaky AM, Mortada SA, Molokhia AM
2009; 3(6):287-295.

Thymoquinone triggers anti-apoptotic signaling targeting death ligand and apoptotic regulators in a model of hepatic ischemia reperfusion injury.

Abd El-Ghany RM, Sharaf NM, Kassem LA, Mahran LG, Heikal OA
2009; 3(6):296-306.

Promising therapy for Alzheimer's disease targeting angiotensinconverting enzyme and the cyclooxygenase-2 isoform.

El Sayed NS, Kassem LA, Heikal OA
2009; 3(6):307-315.

Case Report

Pathological gambling associated with cabergoline in a case of recurrent depression.

Miura J, Kikuchi A, Fujii A, Tateishi T, Kaneko S
2009; 3(4):190-192.