

Subject Index (2010)

Reviews

Development of mitochondrial permeability transition inhibitory agents: a novel drug target.

Hellebrand EE, Varbiro G
2010; 4(2):54-61.

Uses of single-particle tracking in living cells.

Zhou X, Wang L
2010; 4(2):62-69.

Free radicals in the regulation of damage and cell death – basic mechanisms and prevention.

Silva JP, Coutinho OP
2010; 4(3):144-167.

Bioactive constituents of Corni Fructus: The therapeutic use of morroniside, loganin, and 7-O-galloyl-D-sedoheptulose as renoprotective agents in type 2 diabetes.

Yokozawa T, Kang KS, Park CH, Noh JS, Yamabe N, Shibahara N, Tanaka T
2010; 4(4):223-234.

Development in malarial vaccine: A review.

Dhanawat M, Das N, Nagarwal RC, Pandit JK
2010; 4(5):298-313.

Fruit and vegetable peels: Paving the way towards the development of new generation therapeutics.

Parmar HS, Dixit Y, Kar A
2010; 4(5):314-325.

Potential application of arginine in interaction analysis.

Shiraki K, Hirano A, Kita Y, Koyama AH, Arakawa T
2010; 4(5):326-333.

Clinical development of histone deacetylase inhibitor romidepsin.

Guan P, Fang H
2010; 4(6): 388-391

Brief Reports

The direct PAK1 inhibitor, TAT-PAK18, blocks preferentially the growth of human ovarian cancer cell lines in which PAK1 is abnormally activated by autophosphorylation at Thr 423.

Hashimoto H, Sudo T, Maruta H, Nishimura R
2010; 4(1):1-4.

3D QSAR investigations on locomotor activity of 5-cyano-N1,6-disubstituted 2-thiouracil derivatives.

Kuchekar BS, Pore YV
2010; 4(3):168-174.

Serum fructose concentration in rats after single dose oral administration of Si-Wu-Tang.

Liang QD, Xiao CR, Ma ZC, Wang YG, Lu BB, Tan HL, Ma BP, Zhang BL, Gao Y
2010; 4(3):175-178.

Stability of MALAT-1, a nuclear long non-coding RNA in mammalian cells, varies in various cancer cells.
Tani H, Nakamura Y, Ijiri K, Akimitsu N
2010; 4(4):235-239.

Alkyne- and 1,6-elimination-succinimidyl carbonate-terminated heterobifunctional poly(ethylene glycol) for reversible "Click" PEGylation.
Xie YM, Duan SF, Laird Forrest M
2010; 4(4):240-245.

Synthesis, characterization, and anthelmintic activity of novel 6,7,8,9-tetrahydro-5H-5-phenyl-2-benzylidine-3-substituted hydrazino thiazolo (2,3-*b*) quinazoline derivatives and analogues.
Selvam TP, Kumar PV
2010; 4(6):392-398.

Original Articles

Design, synthesis, and primary activity evaluation of pyrrolidine derivatives as matrix metalloproteinase inhibitors.
Zhang J, Li X, Zhu HW, Wang Q, Feng JH, Mou JJ, Li YG, Fang H, Xu WF
2010; 4(1):5-12.

Hypotensive response in rats and toxicological mechanisms induced by shuanghuanglian, an herbal extract mixture.
Wang HS, Cheng F, Shi YQ, Li ZG, Qin HD, Liu ZP
2010; 4(1):13-18.

In vitro modulating effects of glutathione on vascular tension and involvement of extracellular calcium.
Chaovanaphat N, Dhumma-Upakorn P, Jianmongkol S
2010; 4(1):19-25.

Evaluation of *in vitro* dissolution profile comparison methods of sustained release tramadol hydrochloride liquisolid compact formulations with marketed sustained release tablets.
Karmarkar AB, Gonjari ID, Hosmani AH, Dhabale PN
2010; 4(1):26-32.

Formulation and evaluation of clotrimazole from pluronic F₁₂₇ gels.
EL-Houssieny BM, Hamouda HM
2010; 4(1):33-43.

Exposure-response modeling and clinical trial simulation of the effect of tolterodine on QT intervals in healthy volunteers.
Sweeney KR, Gastonguay MR, Benincosa L, Cronenberger CL, Glue P, Malhotra BK
2010; 4(1):44-53.

Proton magnetic resonance (¹HNMR) spectroscopy and physicochemical studies of zaledon-hydroxypropyl-β-cyclodextrin inclusion compounds.
Shah MR, Sancheti PP, Vyas VM, Karekar PS, Pore YV
2010; 4(2):70-76.

Enhancement of the dissolution profile of allopurinol by a solid dispersion technique.
Samy AM, Marzouk MA, Ammar AA, Ahmed MK
2010; 4(2):77-84.

Formulation and bioavailability of controlled release salbutamol sulphate tablets using natural additives.

Nouh AT, Abd El-Gawad AH, Guda TK
2010; 4(2):85-92.

Stability, bioavailability, and ulcerative activity of diclofenac sodium-mastic controlled release tablets.

Nouh AT, Abd El-Gawad AH, Guda TK
2010; 4(2):93-99.

Biopharmaceutical evaluation of formulated metformin/rosiglitazone tablets.

Ibrahim HK, Attia AM, Ghorab MM
2010; 4(2):100-108.

Calcium alginate cross-linked polymeric microbeads for oral sustained drug delivery in arthritis.

Manjanna KM, Pramod Kumar TM, Shivakumar B
2010; 4(2):109-122.

Effects of lubricants on binary direct compression mixtures.

Uðurlu T, Halaçðlu MD, Türkoðlu M
2010; 4(2):123-128.

Effects of the herbal medicine Hachimi-jio-gan (Ba-Wei-Di-Huang-Wan) on insulin secretion and glucose tolerance in type 2 diabetic Goto-Kakizaki rats.

Hirotani Y, Ikeda K, Myotoku M
2010; 4(2):129-134.

Phagocytosis plays a dual role in activating dendritic cells; digestive production of active Toll-like receptor ligands and cooperation with Toll-like receptor signaling.

Miyauchi M, Murata M, Shibuya K, Koga-Yamakawa E, Yanagawa Y, Azuma I, Kashiwazaki Y
2010; 4(2):135-143.

***Rehmanniae Radix* provides most of the free fructose and glucose in Si-Wu-Tang decoction.**

Ma J, Liang QD, Ma ZC, Wang YG, Liu M, Lu BB, Tan HL, Xiao CG, Zhang BL, Gao Y
2010; 4(3):179-183.

Effects of components present in flaxseed on human colon adenocarcinoma Caco-2 cells: Possible mechanisms of flaxseed on colon cancer development in animals.

Bommareddy A, Zhang XY, Kaushik RS, Dwivedi C
2010; 4(3):184-189.

Characterization, thermodynamic parameters and *in vivo* antimalarial activity of inclusion complexes of artemether.

Chadha R, Gupta S, Shukla G, Jain DS, Singh S
2010; 4(3):190-201.

Isolation and structure elucidation of antioxidant compounds from leaves of *Laurus nobilis* and *Emex spinosus*.

Emam AM, Mohamed MA, Diab YM, Megally NY
2010; 4(3):202-207.

Optimization and characterization of diclofenac sodium microspheres prepared by a modified coacervation method.

El-Leithy ES, Shaker DS, Ghorab MK, Abdel-Rashid RS
2010; 4(3):208-216.

Membrane electrodes for determination of two antihypertensive drugs in pharmaceutical formulations of either single or binary mixtures and in biological fluids.

El-Ghobashy MR, Zaazaa HE
2010; 4(3):217-222.

Di(hetero)arylamines in the benzo[b]thiophene series as novel potent antioxidants.

Silva JP, Machado VA, Calhelha RC, Queiroz MRP, Coutinho OP
2010; 4(4):246-256.

Development of a microemulsion-based formulation to improve the availability of poorly water-soluble drug.

Abd-Allah FI, Dawaba HM, Ahmed AMS
2010; 4(4):257-266.

Preparation, characterization, and stability studies of piroxicam-loaded microemulsions in topical formulations.

Abd-Allah FI, Dawaba HM, Ahmed AMS
2010; 4(4):267-275.

The potential therapeutic effect of nitric oxide modulators in experimentally-induced gastric ulcers.

El-Demerdash E, El-Mesallamy HO, Abu-Zaid NM, Gad MZ
2010; 4(4):276-284.

Effect of trazodone and nefazodone on hepatic injury induced by carbon tetrachloride.

Abdel Salam OME, Sleem AA, Shafee N
2010; 4(4):285-297.

Anti-hyperlipidemic activity of *Withania coagulans* in streptozotocin-induced diabetes: A potent anti-atherosclerotic agent.

Saxena B
2010; 4(5):334-340.

Investigation of phenolic leaf extract of *Heimia myrtifolia* (Lythraceae): Pharmacological properties (stimulation of mineralization of SaOS-2 osteosarcoma cells) and identification of polyphenols.

Ayoub N, Singab AN, El-Naggar M, Lindequist U
2010; 4(5):341-348.

Evaluation of therapeutic effects and pharmacokinetics of antibacterial chromogenic agents in a silkworm model of *Staphylococcus aureus* infection.

Fujiyuki T, Imamura K, Hamamoto H, Sekimizu K
2010; 4(5):349-354.

Effect of heparin-superoxide dismutase on γ -radiation induced DNA damage *in vitro* and *in vivo*.

Liu JF, Wang X, Tan HN, Liu H, Wang YG, Chen RQ, Cao JC, Wang FS
2010; 4(5):355-361.

***In vivo* evaluation of black and green tea dermal products against UV radiation.**

Türkoðlu M, Uðurlu T, Gedik G, Yýlmaz AM, Süha Yalçın A
2010; 4(5):362-367.

Reduced expression of *Syt1* and *Ccdc21* and impaired induction of *Mt1* by oxidative stress in *SII-KI* knockout mice.

Tano K, Hamamoto H, Ito T, Sumiya E, Rakwal R, Shibato J, Masuo Y, Ijiri K, Sekimizu K, Akimitsu N
2010; 4(5):368-372.

Preparation and *in vitro* evaluation of self-nanoemulsifying drug delivery systems (SNEDDS) containing clotrimazole.

Kassem AA, Marzouk MA, Ammar AA, Elosaily GH
2010; 4(5):373-379.

Comparative evaluation of ketoconazole- β -cyclodextrin systems prepared by coprecipitation and kneading.

Marzouk MA, Kassem AA, Samy AM, Amer RI
2010; 4(5):380-387.

A new furoquinoline alkaloid with antifungal activity from the leaves of *Ruta chalepensis* L.

Emam A, Eweis M, Elbadry M
2010; 4(6):399-404

Taxonomic identification of a novel strain of *Streptomyces cavourensis* subsp. *washingtonensis*, ACMA006, exhibiting antitumor and antibacteria activity.

Yuan XW, Yang RL, Cao X, Gao JJ
2010; 4(6):405-411

Novel CYP2C19 629c>a mutant gene detection in Japanese subjects and estimation of its effect on conformation.

Kimura S, Hasegawa S, Kobayashi A, Yamaguchi H, Yohda M, Kubota T
2010; 4(6):412-417

Quantification of nebivolol hydrochloride in human plasma by liquid chromatography using fluorescence detection: Use in pharmacokinetic study.

Abdel-Fattah L, Abdel-Aziz L, El-Kosasy A, Gaied M
2010; 4(6):418-422

Use of factorial design in formulation and evaluation of ophthalmic gels of gatifloxacin: Comparison of different mucoadhesive polymers.

Gonjari ID, Karmarkar AB, Khade TS, Hosmani AH, Navale RB
2010; 4(6):423-434

Improvement in the dissolution profile of diacerein using a surfactant-based solid dispersion technique.

Patil SB, Shete DK, Narade SB, Surve SS, Khan ZK, Bhise SB, Pore YV
2010; 4(6):435-441

Solid-state characterization and *in vitro* dissolution behavior of lorazepam: Hydroxypropyl- β -cyclodextrin inclusion complex.

Patel R, Patel M
2010; 4(6):442-452

Formulation, development, and optimization of immediate release nateglinide tablets by factorial design.

Pani NR, Nath LK, Bhunia B
2010; 4(6):453-458

Formulation of microemulsion gel systems for transdermal delivery of celecoxib: *In vitro* permeation, anti-inflammatory activity and skin irritation tests.

Soliman SM, Abdel Malak NS, El-Gazayerly ON, Abdel Rehim AA
2010; 4(6):459-471

Preparation and characterization of oxybenzone-loaded solid lipid nanoparticles (SLNs) with enhanced safety and sunscreening efficacy: SPF and UVA-PF.

Sanad RA, Abdel Malak NS, El-Bayoomy TS, Badawi AA
2010; 4(6):472-483

Comparative study on the different techniques for the preparation of sustained-release hydrophobic matrices of a highly water-soluble drug.

Abd El-Halim SM, Amin MM, El-Gazayerly ON, Abd El-Gawad NA
2010; 4(6):484-492

Effect of Ceolus KG-802 on the dissolution rate of fenofibrate liquisolid tablets: Preformulation and formulation development studies.

Karmarkar AB
2010; 4(6):493-498

Case Report

The treatment effect of the atopic dermatitis by electrolytic-reduction ion water lotion.

Shu T, Okajima M, Wada Y, Shimokawa K, Ishii F
2010; 4(6):499-503

Acknowledgements

Drug Discoveries & Therapeutics is a peer-reviewed international journal published by *Shandong University China-Japan Cooperation Center for Drug Discovery & Screen (SDU-DDSC)* and *International Advancement Center for Medicine & Health Research (IACMHR)*. During the editing time, many scientists kindly provided lots of support to **Drug Discoveries & Therapeutics**. To ensure the quality of articles, they have contributed great expertise and time to the peer-review. Here, we greatly appreciated the efforts of the following scientists as reviewers:

Kazumasa Aoyagi (*Ibaraki, Japan*)
Hidetoshi Arima (*Kumamoto, Japan*)
Nagisa Arimitsu (*Tokyo, Japan*)
Yoshihiro Asano (*Ehime, Japan*)
Ehab R. Bendes (*Cairo, Egypt*)
Peter L. Bonate (*San Antonio, TX, USA*)
Neal M. Davies (*Pullman, WA, USA*)
Gamal M. El-Maghraby (*Tanta, Egypt*)
Dingzhi Fang (*Chengdu, China*)
Radwan Farag (*Cairo, Egypt*)
Martin Friede (*Geneva, Switzerland*)
Jianjun Gao (*Tokyo, Japan*)
Rosa M. P. Gutierrez (*Mexico City, Mexico*)
Hironobu Ihn (*Kumamoto, Japan*)
Yoshinori Inagaki (*Tokyo, Japan*)
Lobna A. A. Kassem (*Cairo, Egypt*)
Shun-ichiro Kawabata (*Fukuoka, Japan*)
Marijana Z. Koncic (*Zagreb, Croatia*)
Bok-Luel Lee (*Busan, Korea*)
Xiaokang Li (*Tokyo, Japan*)

Carla M. Lopes (*Porto, Portugal*)
Azza A. Mahmoud (*Cairo, Egypt*)
Amna Makky (*Cairo, Egypt*)
Daniele Maggioni (*Monza, Italy*)
Yasuhiko Matsumoto (*Tokyo, Japan*)
Manoj K. Mishra (*Bhubaneswar, India*)
Vasee Moorthy (*Geneva, Switzerland*)
Xianjun Qu (*Shandong, China*)
Joshua D. Ramsey (*Stillwater, OK, USA*)
Brundage Richard (*Minneapolis, MN, USA*)
Masanobu Satake (*Sendai, Japan*)
Sanjot Savant (*Charleston, WV, USA*)
Wulf Schultze (*Hamburg, Germany*)
Takashi Tokino (*Sapporo, Japan*)
Viroj Wiwanitkit (*Bangkok, Thailand*)
Jianwei Xu (*Shanghai, China*)
Wenfang Xu (*Shandong, China*)

(December 25, 2010)