

Subject Index (2011)

Editorials

Drug Discoveries & Therapeutics: A platform for promoting pharmaceutical sciences and clinical therapeutics.

Yen Y

2011; 5(1):1.

The road to cancer control.

Kokudo N

2011; 5(2):60.

Prospects of cancer biotherapy.

Hao XS

2011; 5(3):107-108.

Insights into Research on Natural Products.

Lou HX

2011; 5(4):157-158.

Policy Forum

Prospects for using pre-exposure prophylaxis to control the prevalence of HIV/AIDS in China.

Xue QY, Gao JJ, Song PP, Qu XJ, Xu LZ

2011; 5(4):159-161.

Standardization of traditional Chinese medicine and evaluation of evidence from its clinical practice.

Song PP, Gao JJ, Kokudo N, Tang W

2011; 5(6):261-265.

Reviews

c-Met: A potential therapeutic target for hepatocellular carcinoma.

Gao JJ, Inagaki Y, Xue X, Qu XJ, Tang W

2011; 5(1):2-11.

Anti-aging effects of oligomeric proanthocyanidins isolated from persimmon fruits.

Yokozawa T, Lee YA, Cho EJ, Matsumoto K, Park CH, Shibahara N

2011; 5(3):109-118.

Creatinine and HMH (5-hydroxy-1-methylhydantoin, NZ-419) as intrinsic hydroxyl radical scavengers.

Ienaga K, Yokozawa T

2011; 5(4):162-175.

Targeting apoptosis pathways in cancer with magnolol and honokiol, bioactive constituents of the bark of *Magnolia officinalis*.

Xu HL, Tang W, Du GH, Kokudo N

2011; 5(5):202-210.

Agents that induce pseudo-allergic reaction.

Wang H, Wang HS, Liu ZP

2011; 5(5):211-219.

Effective neurofibromatosis therapeutics blocking the oncogenic kinase PAK1.

Maruta H

2011; 5(6):266-278.

Brief Reports**Antibacterial activities of *Sesbania grandiflora* extracts.**

Anantaworasakul P, Klayraung S, Okonogi S

2011; 5(1):12-17.

Design, synthesis and activity study of aminopeptidase N targeted 3-amino-2-hydroxy-4-phenylbutanoic acid derivatives.

Chen LZ, Mou JJ, Xu YY, Fang H, Xu WF

2011; 5(2):61-65.

A low-dose combination of valsartan and low molecular weight heparin better improved glomerular permeability than did high-dose monotherapy in rats with diabetic nephropathy.

Jiao B, Zhang YH, Cheng YN, Gao JJ, Zhang QZ

2011; 5(3):119-124.

GW501516 acts as an efficient PPAR α activator in the mouse liver.

Terada M, Araki M, Ashibe B, Motojima K

2011; 5(4):176-180.

Effects of Gosha-jinki-gan (Chinese herbal medicine: Niu-Che-Sen-Qi-Wan) on hyperinsulinemia induced in rats fed a sucrose-rich diet.

Hirotani Y, Doi A, Ikeda K, Kato R, Ijiri Y, Tanaka K, Myotoku M

2011; 5(4):181-184.

Sedative and anxiolytic effects of the methanolic extract of *Leea indica* (Burm. f.) Merr. leaf.

Raihan MO, Habib MR, Brishti A, Rahman MM, Saleheen MM, Manna M

2011; 5(4):185-189.

Synthesis and anti-HIV activity of novel 2,4-disubstituted-7-methyl-1,1,3-trioxo-2H,4H-pyrazolo[4,5-e][1,2,4]thiadiazine derivatives.

Zhan P, Yan RZ, Liu XY, Pannecouque C, Witvrouw M, De Clercq E, Molina MT, Vega S

2011; 5(6):279-285.

Original Articles**Purification of innate immunostimulant from green tea using a silkworm muscle contraction assay.**

Dhital S, Hamamoto H, Urai M, Ishii K, Sekimizu K

2011; 5(1):18-25.

Anti-influenza viral effects of novel nuclear export inhibitors from *Valerianae Radix* and *Alpinia galanga*.

Watanabe K, Takatsuki H, Sonoda M, Tamura S, Murakami N, Kobayashi N

2011; 5(1):26-31.

A comparative study of protective mechanisms of glycine and L-arginine against cisplatin-induced nephrotoxicity in rat renal cortical slices.

Mahran YFK, Khalifa AE, El-Demerdash E

2011; 5(1):32-40..

Validated spectrophotometric methods for determination of some oral hypoglycemic drugs.

Farouk M, Abdel-Satar O, Abdel-Aziz O, Shaaban M
2011; 5(1):41-52.

Matrix type transdermal therapeutic systems of glibenclamide: Formulation, *ex vivo* and *in vivo* characterization.

Ali A, Trehan A, Ullah Z, Aqil M, Sultana Y
2011; 5(1):53-59.

Isolation of mammalian pathogenic bacteria using silkworms.

Kaito C, Usui K, Kyuma T, Sekimizu K
2011; 5(2):66-70.

Availability of serum corticosterone level for quantitative evaluation of morphine withdrawal in mice.

Ueno K, Maeda T, Kiguchi N, Kobayashi Y, Ozaki M, Kishioka S
2011; 5(2):71-75.

Therapeutic time window of YGY-E neuroprotection of cerebral ischemic injury in rats.

An YT, Zhao Z, Sheng YC, Min Y, Xia YY
2011; 5(2):76-83.

Bactericidal action of *Alpinia galanga* essential oil on food-borne bacteria.

Prakatthagomol W, Klayraung S, Okonogi S
2011; 5(2):84-89.

Guar gum and hydroxy propyl methylcellulose compressed coated tablets for colonic drug delivery: *in vitro* and *in vivo* evaluation in healthy human volunteers.

Hashem FM, Shaker DS, Nasr M, Saad IE, Ragaey R
2011; 5(2):90-95.

Development and characterization of local anti-inflammatory implantation for the controlled release of the hexane extract of the flower-heads of *Euryops pectinatus* L. (Cass.).

Nesseem DI, Michel CG
2011; 5(2):96-106.

Hemocytes and humoral factors in silkworm blood are cooperatively involved in sheep erythrocyte aggregation.

Imamura K, Ishii K, Hamamoto H, Sekimizu K
2011; 5(3):125-129.

Arabino-mycolates derived from cell-wall skeleton of *Mycobacterium bovis* BCG as a prominent structure for recognition by host immunity.

Miyauchi M, Murata M, Shibuya K, Koga-Yamakawa E, Uenishi Y, Kusunose N, Sunagawa M, Yano I, Kashiwazaki Y
2011; 5(3):130-135.

Mechanisms of vincristine-induced neurotoxicity: Possible reversal by erythropoietin.

Kassem LA, Gamal El-Din MM, Yassin NA
2011; 5(3):136-143.

Antityrosinase and antioxidant activities of essential oils of edible Thai plants.

Saeio K, Chaiyana W, Okonogi S
2011; 5(3):144-149.

Emulsions and rectal formulations containing myrrh essential oil for better patient compliance.

Etman M, Amin M, Nada AH, Shams-Eldin M, Salama O
2011; 5(3):150-156.

Hyaluronic acid in combination with chondroitin sulfate and hyaluronic acid improved the degeneration of synovium and cartilage equally in rabbits with osteoarthritis.

Chen L, Ling PX, Jin Y, Zhang TM
2011; 5(4):190-194.

Prophylactic effect of *Withania somnifera* on inflammation in a non-autoimmune prone murine model of lupus.

Minhas U, Minz R, Bhatnagar A
2011; 5(4):195-201.

A sensitive near-infrared fluorescent probe for caspase-mediated apoptosis: Synthesis and application in cell imaging.

Luan YP, Yang QH, Xie YM, Duan SF, Cai S, Forrest ML
2011; 5(5):220-226.

Design, synthesis, anticonvulsant screening and 5HT_{1A/2A} receptor affinity of N(3)-substituted 2,4-imidazolidinediones and oxazolidinediones.

Dhanawat M, Das N, Shrivastava SK
2011; 5(5):227-237.

Anti-*Candida* and radical scavenging activities of essential oils and oleoresins of *Zingiber officinale* Roscoe and essential oils of other plants belonging to the family Zingiberaceae.

Takahashi M, Inouye S, Abe S
2011; 5(5):238-245.

Development of microemulsion of a potent anti-tyrosinase essential oil of an edible plant.

Saeio K, Yotsawimonwat S, Anuchapreeda S, Okonogi S
2011; 5(5):246-252.

Initial characterization of D-cycloserine for future formulation development for anxiety disorders.

Kaushal G, Ramirez R, Alambo D, Taupradist W, Choksi K, Sirbu C
2011; 5(5):253-260.

A new cell-based reporter system for sensitive screening of nuclear export inhibitors.

Abkallo HM, Kawano H, Watanabe K, Kobayashi N
2011; 5(6):286-292.

Levels of effectiveness of gene therapies targeting survivin and its splice variants in human breast cancer cells.

Zheng WY, Kang YY, Li LF, Xu YX, Ma XY
2011; 5(6):293-298.

Ferulic acid induces heme oxygenase-1 via activation of ERK and Nrf2.

Ma ZC, Hong Q, Wang YG, Liang QD, Tan HL, Xiao CR, Tang XL, Shao S, Zhou SS, Gao Y
2011; 5(6):299-305.

***In vitro* bactericidal activity against periodontopathic bacteria by electrolyzed ion-reduced water.**

Okajima M, Kanzaki M, Ishibashi Y, Wada Y, Hino F, Kitahara Y, Shimokawa K, Ishii F
2011; 5(6):306-310.

Preparation and evaluation of fenoterol hydrobromide suppositories.

Ghorab D, Refai H, Tag R
2011; 5(6):311-318.

Acknowledgements

Drug Discoveries & Therapeutics is a peer-reviewed international journal published by the International Advancement Center for Medicine & Health Research Co., Ltd. (IACMHR Co., Ltd.) and supported by the IRCA-BSSA and Shandong University China-Japan Cooperation Center for Drug Discovery & Screening (SDU-DDSC). During the editing time, many scientists kindly provided lots of support to **Drug Discoveries & Therapeutics**. To ensure the quality of articles, they have contributed great expertise and time to the peer-review. Here, we greatly appreciated the efforts of the following scientists as reviewers:

Takashi Akazawa (<i>Osaka, Japan</i>)	Kanji Mori (<i>Shiga, Japan</i>)
Nobuyoshi Akimitsu (<i>Tokyo, Japan</i>)	Arimitsu Nagisa (<i>Tokyo, Japan</i>)
Hidetoshi Arima (<i>Kumamoto, Japan</i>)	Reinhard Neubert (<i>Halle, Germany</i>)
Yukihiro Asami (<i>Tokyo, Japan</i>)	Doi Norio (<i>Tokyo, Japan</i>)
Jianguo Chen (<i>Wuhan, China</i>)	Xiaoming Ou (<i>Jackson, MS, USA</i>)
Shaofeng Duan (<i>Lawrence, KS, USA</i>)	Fanghua Qi (<i>Jinan, China</i>)
Chandradhar Dwivedi (<i>Brookings, SD, USA</i>)	Xianjun Qu (<i>Jinan, China</i>)
Hao Fang (<i>Jinan, China</i>)	Johannes Ring (<i>Munich, Germany</i>)
Takeshi Fukushima (<i>Chiba, Japan</i>)	Nobukazu Sekimizu (<i>Tokyo, Japan</i>)
Muhammad J. Habib (<i>Cairo, Egypt</i>)	Nuttanan Sinchaipanid (<i>Bangkok, Thailand</i>)
Yongzhou Hu (<i>Hangzhou, China</i>)	Zeynep Soyer (<i>Izmir, Turkey</i>)
Mayuko Ishikawa (<i>Tokyo, Japan</i>)	Sanjay K. Srivastava (<i>Amarillo, TX, USA</i>)
Kouji Ito (<i>Tokushima, Japan</i>)	Amit K. Tiwari (<i>Queens, NY, USA</i>)
Michiho Ito (<i>Kyoto, Japan</i>)	Mokoto Urai (<i>Tokyo, Japan</i>)
Duan Ma (<i>Shanghai, China</i>)	Cristina D. Vianna-Soares (<i>Belo Horizonte, Brasil</i>)
Azza A. Mahmoud (<i>Cairo, Egypt</i>)	Yasuko Yokota (<i>Tokyo, Japan</i>)
Paul Matejtschuk (<i>Hertfordshire, UK</i>)	Inagaki Yoshinori (<i>Tokyo, Japan</i>)
Yasuhiko Matsumoto (<i>Tokyo, Japan</i>)	Rongmin Yu (<i>Guangzhou, China</i>)
Graça Miguel (<i>Faro, Portugal</i>)	Guangxi Zhai (<i>Jinan, China</i>)
Lucia Montenegro (<i>Catania, Italy</i>)	

(December 25, 2011)